

#### CLASS 50 COMBUSTION GAS ANALYSERS

| REF    | TYPE     | DESCRIPTION  | VP Cena (eur) |
|--------|----------|--|---------------|
| 24,766 | KIGAZ 50 | Combustion gas analyser Type KIGAZ 50 for any type of boilers with 2 cells: <b>O2</b> and <b>CO</b> . Autozero 30 seconds, 10 hours autonomy, magnetic housing. Supplied with transport bag, 180 mm probe with integrated draft measurement, Li-Ion battery, USB charger, USB cable and adjustment certificate | 595.00 €      |
| 23,475 | KPD-15   | Differential pressure kit including 2x1m of silicone tube length 1m, diameter 6x10 mm, and 2 pressure connections diameter 7mm for KIGAZ 50  | 32.40 €       |

### CLASS 80 COMBUSTION GAS ANALYSERS

# NEW 25,161 Remote printer, with IRDA infra-red connection, printing on thermal paper with 10-year guarantee, printing of maintenance certificates, supplied with magnet protective cover Remote printer, with IRDA infra-red connection, printing on thermal paper with 10-year guarantee, printing of maintenance certificates, supplied with magnet protective cover

**PRINTER FOR KIGAZ 50 & 80** 

# CLASS 110 COMBUSTION GAS ANALYSERS

| NEW | 25,162 | KIGAZ 110 | Combustion gas analyser for any type of boilers, with 2 interchangeable sensors O2-LV (5-year life duration) and CO-H2. Autodiagnostic, sensor protection by pump stop, creation and printing of maintenance certificates on built-in printer, 1 Thermocouple channel, 2-Go memory. Supplied with transport bag, magnetic protective cover, differential pressure kit including 2 x 1 m silicone tube, 180mm probe with integrated draft measurement, one sole connector, Li-lon battery, chargeur, software for certificate printing with LIGAZ-2 database, USB cable and calibration certificate. Coming in option: KIGAZ MOBILE bluetooth module for mobile application and tablet (androïd and los) | 1,133.00 € |  |
|-----|--------|-----------|---|------------|--|
|-----|--------|-----------|---|------------|--|

### CLASS 210 COMBUSTION GAS ANALYSERS

|     | REF    | TYPE          | DESCRIPTION   | VP Cena (eur) |
|-----|--------|---------------|---|---------------|
| NEW | 25,165 | KIGAZ 210 STD | Combustion gas analyser for any type of boilers, with <u>2</u> <u>interchangeable sensors</u> O2-LV (5-year life duration) and CO-H2, evolutive NO/NOX or CH4 (gas leak). Autodiagnostic, CO-H2 sensor protection by solenoid valve, creation and printing of maintenance certificates on built-in printer, 2 Thermocouple channels, 2-Go memory. Supplied with transport bag, magnetic protective cover, differential pressure kit including 2 x 1 m silicone tube, 300mm probe with integrated draft measurement, LED, one sole connector, Li-lon battery, charger, software for certificate printing with LIGAZ-2 database, USB cable and calibration certificate. Coming in option: KIGAZ MOBILE bluetooth module for mobile application and tablet (androïd and los)           | 1,653.00 €    |
| NEW | 25,168 | KIGAZ 210     | Combustion gas analyser for any type of boilers, with <u>3 interchangeable sensors</u> O2-LV (5-year life duration) and CO-H2, NO/NOX. Autodiagnostic, CO-H2 sensor protection by solenoid valve, autozero inside the duct, creation and printing of maintenance certificates on built-in printer, 2 Thermocouple channels, 2-Go memory. Supplied with transport bag, magnetic protective cover, differential pressure kit including 2 x 1 m silicone tube, 300mm interchangeable probe with integrated draft measurement, LED and one sole connector, Li-lon battery, charger, software for certificate printing with LIGAZ-2 database, USB cable and calibration certificate. Coming in option: KIGAZ MOBILE bluetooth module for mobile application and tablet (androïd and los) | 1,861.00 €    |

### CLASS 310 COMBUSTION GAS ANALYSERS

|     | CONIDOSTION GAS ANALTSENS |      |   |               |  |
|-----|---------------------------|------|---|---------------|--|
|     | REF                       | TYPE | DESCRIPTION   | VP Cena (eur) |  |
| NEW | 25,171                    |      | Combustion gas analyser for any type of boiler with 2 interchangeable sensors O2-LV (5-year life duration), CO-H2, evolutive up to 4 sensors. Autodiagnostic, voice assistance, CO-H2 dillution autozero inside the duct, 3 pressure sensors, built-in water trap with maximum level alarm, TFT colour display, creation and printing of maintenance certificates on built-in printer, 2 thermcouple channels, 2 Go-memory. Supplly with ABS transport case, magnetic protective cover, differential pressure kit including 2 x 1 m of silicone tube, 300mm interchangeable probe with integrated draft measurement, LED and sole connector, Li-Ion battery, chargeur, LIGAZ-2 software for printing of maintenance certificates, USB cable and calibration certificate. Coming in option: KIGAZ MOBILE bluetooth module for mobile application and tablet (androïd and los). | 2,173.00 €    |  |

0.00€

| NEW | 25,174 | KIGAZ 310 STD    | Combustion gas analyser for any type of boiler with 3 interchangeable sensors O2-LV (5-year life duration), CO-H2, NO/NOX, evolutive up to 4 sensors. Autodiagnostic, voice assistance, CO-H2 dillution autozero inside the duct, 3 pressure sensors, built-in water trap with maximum level alarm, TFT colour display, creation and printing of maintenance certificates on built-in printer, 2 thermcouple channels, 2 Go-memory. Supplly with ABS transport case, magnetic protective cover, differential pressure kit including 2 x 1 m of silicone tube, 300mm interchangeable probe with integrated draft measurement, LED and sole connector, Li-Ion battery, chargeur, LIGAZ-2 software for printing of maintenance certificates, USB cable and calibration certificate. Coming in option: KIGAZ MOBILE bluetooth module for mobile application and tablet (androïd and los).             | 2,381.00 € |
|-----|--------|------------------|---|------------|
| NEW | 25,177 | KIGAZ 310<br>PRO | Combustion gas analyser for any type of boiler with 4 interchangeable sensors O2-LV (5-year life duration), CO-H2, NO/NOX, NO2 or SO2, evolutive up to 4 sensors. Autodiagnostic, voice assistance, CO-H2 dillution autozero inside the duct, 3 pressure sensors, built-in water trap with maximum level alarm, TFT colour display, creation and printing of maintenance certificates on built-in printer, 2 thermcouple channels, 2 Go-memory. Supplly with ABS transport case, magnetic protective cover, differential pressure kit including 2 x 1 m of silicone tube, 300mm interchangeable probe with integrated draft measurement, LED and sole connector, Li-lon battery, chargeur, LIGAZ-2 software for printing of maintenance certificates, USB cable and calibration certificate. Coming in option: KIGAZ MOBILE bluetooth module for mobile application and tablet (androïd and los). | 2,589.00 € |

#### INSTRUMENT FOR GAS NETWORK LEAK

| N E W | 24,619 | MP 130 | Portable micromanometer for <b>gas network leak test</b> , with integrated pressure sensor +/- 500 mBar.  Resolution: from 0 to 20 mbar 0.01 mBar, from 20 to 500 mBar 0.1 mBar.  Accuracy: from -20 to 20 mBar 0.4% of the full scale + 0.3mBar and beyond, 0.1% of the full scale +0.6 mBar.  Maximum pressure: 1 Bar. Pressure connector: rectus 21. Supplied with kit including: rubber pump, tube; two 3-channel valves, quick coupler, connections for direct measurement on pipes and counters (bottle male 6-20, 10-32, 1/2G, M20x1,5), protective cover. Supplied in ABS transport case and adjustment certificate. | 414.75 € |  |
|-------|--------|--------|--|----------|--|
|-------|--------|--------|--|----------|--|

## ACCESSORIES FOR COMBUSTION GAS ANALYSERS

#### **OPTIONS FOR KIGAZ**

| REF    | TYPE | DESCRIPTION   | VP Cena (eur) |
|--------|------|---|---------------|
| 23,472 |      | Gas network tightness kit including: 2 cone-shaped tightness connections, pressure bulb, connections for direct measurement on ducts and meter (male -bottle 6-20, 10-32, 1/2G, M20x1.5), adaptator, tubes and transport case |               |

| NEW | 23,668 | KR-MP    | Kit of SOLE connectors for gas network leak, including connectors for direct measurement on pipes and meter (bottle male, 6-20, 10-32, 1/2G, M20x1.5) (supplied with KEG and MP130S)  |          |
|-----|--------|----------|---|----------|
|     | 11,994 | РМО      | Manual pump for opacity measurement (coming with 50 filters and table)  | 137.00 € |
| NEW | 25,189 | MB-123-2 | Bluetooth® moduel (Low Energy) for mobile application and tablets (androïd and los) TO BE MOUNTED AT OUR FACTORY. For KIGAZ 80/110/210/310  | 100.10 € |
| NEW | 25,190 | LOGAZ-2  | Software for database creation (customers, boilers, checks) data download, printing of checks with editing of maintenance certificates, configuration of the analyser, creation of report and customized procedures, checks schedule, management of maintenance contracts (operators schedule, customers follow-up), vizualization and recording of measurements in real time (EXCLUSIVELY COMPATIBLE WITH KIGAZ 200 AND 300) | 196.00 € |

#### **OPTIONAL PROBES FOR KIGAZ**

| REF    | TYPE       | DESCRIPTION   | VP Cena (eur)  |
|--------|------------|---|----------------|
| 23,409 | SCI        | lonisation current measurement probe for gas boilers, output on 2 cables of 0.4m with alligator clips, Smart-Plus communication system, measuring range from 0 to 100 $\mu A$   |                |
| 22,727 | SDFG       | <b>Gas leak detection probe</b> , for CH4, GPL, etc. gases. Range from 0 to 10000 ppm with Smart-Plus recognition system, flexible 300mm long probe. Supplied with adjustment certificate.  |                |
| 17,009 | SCO2T      | CO2 / temperature multi-function probe (from 0 to 5000 ppm - 20 to 80 °C). Smart-Plus recognition system. Supplied with adjustment certificate.   | 410.00 €       |
| 17,008 | SCOT       | CO / temperature multi-function probe (from 0 to 500 ppm - 20 to 80 °C). Smart-Plus recognition system. Supplied with adjustment certificate.   | 390.00 €       |
| 16,474 | SPA 150 SP | <b>Ambient PT100 probe, class 1/3 DIN</b> (-50 to +250°C). Smart-Plus recognition system. Perforated stainless steel plunger Ø 4.5 mm, 150mm long, with handle, retractable cable and connector, for Class 200 and 300. Supplied with adjustment certificate. | 99 nn <i>€</i> |

#### INTERCHANGEABLE SENSORS for <u>STANDARD KIGAZ 80</u>

|     | REF    | TYPE  | DESCRIPTION  | VP Cena (eur) |  |
|-----|--------|-------|--|---------------|--|
| NEW | 23,482 | CI-O2 | O2 sensor. Range 0 - 21%. Supplied with adjustment certificate | 134.00 €      |  |

NEW

| 23,790 | CI-OH2-15 | CO-H2 sensor. Range 0 - 8000 ppm. Supplied with adjustment certificate | 280.00 € |
|--------|-----------|--|----------|
|--------|-----------|--|----------|

#### INTERCHANGEABLE SENSORS FOR STANDARD K<u>IGAZ 110 / 210 / 310</u>

NEW

|   | REF  | TYPE  | DESCRIPTION   | VP Cena (eur) |
|---|--|---|---|---------------|
|   | 23,481 CI-CH4 CH4 sensor for CH4 gas leak deteral adjustment certificate |   | CH4 sensor for CH4 gas leak detection. Range: 0 to 10 000 ppm. Supplied with adjustment certificate   | 73.70 €       |
| V | 25,191   | CO-H2 sensor Range: 0 - 8000 ppm For KIGAZ 110/210/310 combustion ga            |   | 157.30 €      |
|   | 23,483   |   |   | 280.00 €      |
|   | 23,484   | ,484 CI-NO NO sensor. Range: 0 - 5000 ppm. Supplied with adjustment certificate |   | 295.00 €      |
|   | 24,964   | CI-NO-BE  | NO interchangeable sensor. Low range 0 - 500 ppm, resolution 0.1 ppm. Supplied with adjustment certificate. Exclusively for combustion gas analysers with 2 sensors (O2 and CO-H2). CI-NO-BE sensor cannot be installed in a KIGAZ with a NO standard sensor. |               |
|   | 23,530   | CI-NO2 NO2 sensor. Range: 0 - 1000 ppm. Supplied with adjustment certificate    |   | 306.00 €      |
|   | 23,531   | CI-SO2  | SO2 sensor. Range: 0 - 5000 ppm. Supplied with adjustment certificate   | 306.00 €      |

#### **CONSUMABLES FOR KIGAZ**

|       | REF    | TYPE  | DESCRIPTION  | VP Cena (eur) |
|-------|--------|-------|--|---------------|
|       | 12,052 | SFO   | 50 filters for PMO opacity manual pump                         | 32.40 €       |
|       | 23,491 | PI-5  | Set of 5 paper rolls for built-in printer of KIGAZ 110/210/310 | 24.00 €       |
|       | 23,492 | PI-1  | Paper roll for built-in printer of KIGAZ 110/210/310           | 7.70 €        |
| MODIF | 23,493 | F12-1 | Filter for water trap - for KIGAZ 50/80/110/210                | 13.20 €       |
| MODIF | 23,505 | F12-5 | Set of 5 filters for water trap - for KIGAZ 50/80/110/210      | 44.40 €       |
| MODIF | 23,511 | PS-CF | Water trap - for <b>KIGAZ 50/80/110/210</b>                    | 80.40 €       |
|       | 23,526 | F3-1  | Disc filter for probe - for KIGAZ 310                          | 13.20 €       |
|       | 23,527 | F3-5  | Set of 5 disc filters for probe - for <b>KIGAZ 310</b>         | 44.40 €       |

#### **INTERCHANGEABLE FLUE GAS PROBES FOR KIGAZ 210/310**

|     | REF    | TYPE    | DESCRIPTION  | VP Cena (eur) |
|-----|--------|---------|--|---------------|
| NEW | 25,194 | PS-180  | Interchangeable flue gas probe, length 180mm. With LED, operating temperature 500 °C. For KIGAZ 210/310                    | 125.40 €      |
| NEW | 25,195 | PS-300  | Interchangeable flue gas probe, length 300mm. With LED, operating temperature 500 °C. For KIGAZ 210/310                    | 130.90 €      |
| NEW | 25,197 | PS-750  | Interchangeable flue gas probe, made of INCONEL length 750mm. With LED. Operating temperature 1100 °C. For KIGAZ 210/310.  | 196.00 €      |
| NEW | 25,198 | PS-1000 | Interchangeable flue gas probe, made of INCONEL length 1000mm. With LED. Operating temperature 1100 °C. For KIGAZ 210/310. | 243.00 €      |

#### **FLEXIBLE FLUE GAS PROBES**

| NEW | 25,199 | \FFK-50          | Flexible flue gas probe, handle with 2.50m cable, water-trap and flexible probe length 180mm. Operating temperature: 500 °C. For KIGAZ 50/80 | 191.00 € |  |
|-----|--------|------------------|--|----------|--|
| NEW | 25,200 | <b>SEEK-1111</b> | Flexible flue gas probe, handle with 2.50m cable, water-trap and flexible probe length 180mm. Operating temperature: 500 °C. For KIGAZ 110   | 191.00 € |  |
| NEW | 25,201 | PESN=/30         | Interchangeable flexible flue gas probe length 180 mm. With LED. Operating temperature 500 °C. For KIGAZ 210/310                             | 92.40 €  |  |

#### FLUE GAS PROBES FOR SOLID COMBUSTIBLE

| NEW | 25,213 | SCS-80  | Flue gas probe for <b>solid combustible,</b> handle with cable length 2.5m, water -trap and probe length 180mm with 10 µm porosity sintered tip. Operating temperature 500 °C. For KIGAZ 80       |  |
|-----|--------|---------|---|--|
| NEW | 25,220 | SCS-110 | Flue gas probe for <b>solid combustible</b> , handle with cable length 2.5m, water -trap and probe length 180mm with 10 µm porosity sintered tip. Operating temperature 500 °C. For KIGAZ 110     |  |
| NEW | 25,196 | PSS-300 | Flue gas probe for <b>solid combustible</b> , handle with cable length 2.5m, water -trap and probe length 180mm with 10 µm porosity sintered tip. Operating temperature 500 °C. For KIGAZ 210/310 |  |

#### FLUE GAS PROBE HANDLE with 6m cable

| NEW | 25,202 | P>Fh-50  | Complete flue gas probe with 6m cable, with water-trap, probe length 180mm. Operating temperature 500°C. For KIGAZ 50/80 | 275.00 € |  |
|-----|--------|----------|--|----------|--|
| NEW | 25,203 | P>F6-110 | Complete flue gas probe with 6m cable, with water-trap, probe length 180mm. Operating temperature 500°C. For KIGAZ 110   | 275.00 € |  |

| NEW | 25,204 | D>F6-7111 | Handle for flue gas probe with 6m cable, with water-trap. Operating temperature 500°C. For KIGAZ 210 (without the probe) | 173.80 € |
|-----|--------|-----------|--|----------|
| NEW | 25,205 | PSE6-310  | Handle for flue gas probe with 6m cable, with sole connector. For KIGAZ 310 (without the probe)                          | 184.80 € |

### COMPLETE FLUE GAS PROBES (SUPPLIED IN STANDARD)

| NEW | 25,206 | SFK-50  | Flue gas probe with handle, 2.5m cable, water-trap, probe length 180mm. Operating temperature 500 °C. For KIGAZ KIGAZ 50/80 (supplied in standard)  | 178.00 € |
|-----|--------|---------|---|----------|
| NEW | 25,207 | SFK-110 | Flue gas probe with handle, 2.5m cable, water-trap, sole connector, probe length 180mm. Operating temperature 500 °C. For KIGAZ KIGAZ 110 (supplied in standard)  |          |
| NEW | 25,208 | SFK-210 | Flue gas probe with handle including LED, 2.5m cable, water-trap, sole connector, interchangeable probe length 300mm. Operating temperature 500 °C. For KIGAZ KIGAZ 210 (supplied in standard)            | 228.00 € |
| NEW | 25,209 | SFK-310 | Flue gas probe with handle including LED and filter, 2.5m cable, water-trap, sole connector, interchangeable probe length 300mm. Operating temperature 500 °C. For KIGAZ KIGAZ 310 (supplied in standard) | 248.00 € |
| NEW | 25,210 | PSF-310 | Handle for flue gas probe, with sole connector (probe NOT included). For KIGAZ 310 (supplied in standard)   | 208.00 € |
| NEW | 25,211 | PSF-210 | Handle for flue gas probe, with cable, water-trap and sole connector (probe NOT included). For KIGAZ 210 (supplied in standard)   | 191.00 € |

#### **BAGS and ACCESSORIES FOR KIGAZ**

|       | REF    | TYPE   | DESCRIPTION  | VP Cena (eur) |
|-------|--------|--------|--|---------------|
| MODIF | 23,512 | SK-1   | Transport bag for <b>KIGAZ 50/80</b>               | 87.10 €       |
| MODIF | 23,513 | SK-12  | Transport bag for <b>KIGAZ 110/210</b>             | 100.10 €      |
|       | 23,473 | MAK    | Aluminium transport case for KIGAZ and accessories | 279.60 €      |
|       | 23,545 | MABS   | ABS transport case for KIGAZ and accessories       | 193.20 €      |
| MODIF | 23,514 | CPK-15 | Protective cover with magnet for KIGAZ 50/80       | 46.20 €       |
| MODIF | 23,515 | СРАК   | Protective cover with magnet for KIGAZ 110/210/310 | 51.70 €       |
|       | 12,418 | ADS    | Power supply adapter for <b>KIGAZ</b>              | 67.20 €       |
|       | 23,516 | ВК     | Li-ion battery for <b>KIGAZ</b>                    | 48.10 €       |