

# SIMEX CENOVNIK 2014

Part number:	Description:	VP Cena (EUR)
--------------	--------------	---------------

## 1. PROCESS METERS

### 1.1. Multichannel meters

MultiCon CMC-99	base unit, no power supply, no I/O modules, no USB port, product no. CMC-99-P/D/C/B/A-001	321 €
MultiCon CMC-99	base unit, no power supply, no I/O modules, front USB port, product no. CMC-99-P/D/C/B/A-0B1	754 €
MultiCon CMC-141	base unit, no power supply, no I/O modules, no USB port, product no. CMC-141-P/D/C/B/A-001	605 €
MultiCon CMC-141	base unit, no power supply, no I/O modules, front USB port, product no. CMC-141-P/D/C/B/A-0B1	681 €

#### Power supply modules:

M99-PS3-001	PS3 (19V ÷ 50V DC, 16V ÷ 35V AC power supply module, 24V sensor supply output, RS-485 port)	84 €
M99-PS31-001	PS31 (19V ÷ 50V DC, 16V ÷ 35V AC power supply module, no 24V sensor supply output, RS-485port) to be used with the UN3, UN5, S8, S16 and S24 modules	84 €
M99-PS4-001	PS4 (85V ÷ 260V AC/DC power supply module, 24V sensor supply output, RS-485 port)	84 €
M99-PS42-001	PS42 (85V ÷ 260V AC/DC power supply module, 24V sensor supply output, RS-485 port) to be used with the UN3, UN5, S8, S16 and S24 modules	84 €

#### Input modules:

M99-UN3-001	UN3 (3 universal inputs U/I/RTD/TC/mV, isolated)	198 €
M141-UN5-001	UN5 (5 universal inputs U/I/RTD/TC/mV, isolated)	314 €
M99-I16-001	I16 (16 x current input module)	188 €
M141-I24-001	I24 (24 x current input module)	282 €
M99-IS6-001	IS6 (6 x 4-20 mA input module, isolated)	261 €
M99-U16-001	U16 (16 x voltage input module)	188 €
M141-U24-001	U24 (24 x voltage input module)	282 €
M99-UI4-001	UI4 (4 x voltage input + 4 x current input module)	125 €
M99-UI8-001	UI8 (8 x voltage input + 8 x current input module)	177 €
M141-UI12-001	UI12 (12 x voltage input + 12 x current input module)	272 €
M99-RT4-001	RT4 (4 x RTD input module)	114 €
M141-RT6-001	RT6 (6 x RTD input module)	188 €
M99-TC4-001	TC4 (4 x TC input module)	114 €
M99-TC8-001	TC8 (8 x TC input module)	177 €
M141-TC12-001	TC12 (12 x TC input module)	272 €
M99-D8-001	D8 (8 x digital input module, isolated)	104 €
M99-D16-001	D16 (16 x digital input module, isolated)	167 €
M141-D24-001	D24 (24 x digital input module, isolated)	261 €
M99-CP2-001	CP2 (2 x pulse input, universal counters, isolated)	198 €
M99-CP4-001	CP4 (4 x pulse input, universal counters, isolated)	261 €
M99-HM2-001	HM2 (2 x hourmeter input module, isolated)	198 €
M99-HM4-001	HM4 (4 x hourmeter input module, isolated)	261 €
M99-FT2-001	FT2 [2 x pulse input (dedicated for flow/rate applications, each to display both actual and total flow/rate) + 2 x current input (for general purpose measurement)]	209 €

M99-FT4-001	FT4 [4 x pulse input (dedicated for flow/rate applications, each to display both actual and total flow/rate) + 4 x current input (for general purpose measurement)]	314 €
M99-FI2-001	FI2 [2 x current input (dedicated for flow/rate applications, each to display both actual and total flow/rate) + 2 x current input (for general purpose measurement)] 199 €	209 €
M99-FI4-001	FI4 [4 x current input (dedicated for flow/rate applications, each to display both actual and total flow/rate) + 4 x current input (for general purpose measurement)]	314 €
<b>Output modules:</b>		
M99-R81-001	R81 (8 x SPST relay 1A output module)	156 €
M141-R121-001	R121 (12 x SPST relay 1A output module)	240 €
M99-R45-001	R45 (4 x SPDT relay 5A output module)	125 €
M141-R65-001	R65 (6 x SPDT relay 5A output module)	188 €
M99-S8-001	S8 (8 x SSR output module)	135 €
M99-S16-001	S16 (16 x SSR output module)	198 €
M141-S24-001	S24 (24 x SSR output module)	303 €
M99-IO2-001	IO2 (2 x 4-20 mA output module, isolated)	156 €
M99-IO4-001	IO4 (4 x 4-20 mA output module, isolated)	209 €
M141-IO6-001	IO6 (6 x 4-20 mA output module, isolated)	303 €
M141-IO8-001	IO8 (8 x 4-20 mA output module, isolated)	398 €
<b>Communication modules:</b>		
M99-ETU-001	ETU module (includes 1 x USB Host, 1 x Ethernet 10 MB)	188 €
M99-ACM-001	ACM module (includes 1 x RS-485, 1 x RS-485/232, 1 x USB Host, 1 x Ethernet 10 MB)	260 €
M99-USB-001	USB port module (back)	72 €
<b>Options:</b>		
	ambient operating temperature -20°C ... +50°C price increase by 25%	
	011 sealing frame IP 65 front (rear USB Host or ACM module only) for CMC-99	16 €
	011 sealing frame IP 65 front (rear USB Host or ACM module only) for CMC-141	20 €
<b>Accessories:</b>		
DAQM-CD	DAQ Manager Software CD Box	15 €
LKS-99/141	Data logging licence key	99 €
LKT-99/141	Data logging licence key - 30 day trial version	0 €
MLS-99/141	MultiLevel Access licence key (USB dongle option only)	104 €
MLT-99/141	MultiLevel Access licence key (USB dongle option only) - 30 day trial version	0 €
STD-99	transparent IP 54 door with lock for CMC-99	43 €
STD-141	transparent IP 54 door with lock for CMC-141	54 €
SRH-99	TS-35 DIN rail brackets for CMC-99	32 €
SRH-141	TS-35 DIN rail brackets for CMC-141	43 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €
SMP-1414/99	adaptor to mount 96 x 96 mm size meter in place of 144 x 144 mm	21 €
MS-2	Mini pendrive memory stick 2 GB n/a	n/a
MS-4	Mini pendrive memory stick 4 GB	21 €
MS-8	Mini pendrive memory stick 8 GB	32 €
P130	portable case, including power supply connector only, excluding CMC	704 €
P130 connectors	up to 23 input, output and communication connectors each	44 €

SWP-99	multichannel meter, 2 channels, 0/4-20 mA inputs, 2 ER alarm outputs	274 €
	multichannel meter, 4 channels, 0/4-20 mA inputs, 2 ER alarm outputs	329 €
	multichannel meter, 8 channels, 0/4-20 mA inputs, 2 ER alarm outputs	384 €
SWT-99	multichannel meter, 2 channels, RTD inputs, 2 ER alarm outputs	274 €
	multichannel meter, 4 channels, RTD inputs, 2 ER alarm outputs	329 €
	multichannel meter, 8 channels, RTD inputs, 2 ER alarm outputs	384 €
	<b>Options:</b>	
	011: sealing frame IP 65	17 €

**Accessories:**

STD-99	transparent IP 54 door with lock	43 €
SMP-1414/99	adaptor to mount 96 x 96 mm size meter in place of 144 x 144 mm	21 €
P130	portable case, including power supply connector only, excluding SWP/SWT-99	672 €

**1.2. Inputs: universal**

SUR-94	process meter, 0 REL (OC)	160 €
	process meter, 2 REL (OC)	164 €
	process meter, 2 REL (OC) + 1 analog output	175 €
	process meter, 4 REL (OC)	175 €
	<b>Options:</b>	
	011: sealing frame IP 65	17 €
	031: green colour LED display	11 €
	081: -20°C ... +50°C expanded operating temp. range	21 €

**Accessories:**

SMP-147/94	adaptor to mount 96 x 48 mm size meter in place of 144 x 72 mm	21 €
SMP-99/94	adaptor to mount 96 x 48 mm size meter in place of 96 x 96 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €

**1.3. Inputs: 0/4-20 mA; 0/1-5V; 0/2-10V or 0-60 mV, 0-75 mV, 0-100 mV, 0-150 mV**

SWE-73-A	low-cost LED process meter	74 €
SWE-73-L	loop-powered LED meter	83 €
SWE-N55L	loop-powered LED meter, wall mounted case, 0 REL	95 €
	loop-powered LED meter, wall mounted case, 1 REL	113 €
SRP-73	process meter, 0 REL (OC)	119 €
	process meter, 1 REL (OC)	122 €
	process meter, 2 REL (OC)	126 €
SRP-77	process meter, 0 REL (OC)	131 €
	process meter, 1 REL (OC)	138 €
	process meter, 2 REL (OC)	143 €
SRP-94	process meter, 0 REL (OC)	150 €
	process meter, 2 REL (OC)	155 €
	process meter, 2 REL (OC) + 1 analog output	167 €
	process meter, 4 REL (OC)	167 €
SRL-49	process meter, 0 REL (OC)	167 €
	process meter, 2 REL (OC)	191 €
	process meter, 2 REL (OC) + 1 analog output	203 €
	process meter, 4 REL (OC)	203 €
SRP-147	process meter, 0 REL (OC)	239 €
	process meter, 2 REL (OC)	251 €
	process meter, 2 REL (OC) + 1 analog output	263 €
	process meter, 4 REL (OC)	263 €

SRP-457	process meter, 1 REL (OC), IP 65	431 €
	process meter, 1 REL (OC), IP 67	419 €
SRP-N118	process meter, 0 REL (OC)	162 €
	process meter, 1 REL (OC) + 1 analog output	191 €
	process meter, 2 REL (OC)	167 €
	<b>Options:</b>	
	A110V AC power supply for SWE-73-A	17 €
	011: sealing frame IP 65 for SRP-73/77/94/147 and SRL-49	17 €
	011: sealing frame IP 65 for SWE-73-A/L	13 €
	031: green colour LED display for SRP-94/147	11 €
	081: -20°C ... +50°C expanded operating temp. range	21 €
	0M1: signalization relay output for SWE-73-L	17 €
	0Y1: socket M12, 5 pin for SWE-N55L	33 €
	0Z1: socket M12, 5 pin + operating temp. range -20°C÷+50°C for SWE-N55L	66 €

#### Accessories:

SIR-15	remote controller for SWE-73, SWE-N55L, SRP-457, SRP-N118	21 €
SMP-147/73	adaptor to mount 72 x 36 mm size meter in place of 144 x 72 mm	21 €
SMP-147/94	adaptor to mount 96 x 48 mm size meter in place of 144 x 72 mm	21 €
SMP-99/94	adaptor to mount 96 x 48 mm size meter in place of 96 x 96 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €
SC-SWE	settings configuration for SWE-73-A	3 €

#### 1.4. Inputs: Pt100, Pt500, Pt1000

SWE-73-T	low-cost temperature meter	69 €
SRT-73	temperature meter, 0 REL (OC)	105 €
	temperature meter, 1 REL (OC)	107 €
	temperature meter, 2 REL (OC)	109 €
SRT-77	temperature meter, 0 REL (OC)	120 €
	temperature meter, 1 REL (OC)	127 €
	temperature meter, 2 REL (OC)	131 €
SRT-94	temperature meter, 0 REL (OC)	131 €
	temperature meter, 2 REL (OC)	138 €
	temperature meter, 2 REL (OC) + 1 analog output	149 €
	temperature meter, 4 REL (OC)	149 €
SRT-147	temperature meter, 0 REL (OC)	219 €
	temperature meter, 2 REL (OC)	230 €
	temperature meter, 2 REL (OC) + 1 analog output	241 €
	temperature meter, 4 REL (OC)	241 €
SRT-457	temperature meter, 1 REL (OC), IP 65	395 €
	temperature meter, 1 REL (OC), IP 67	384 €
SRT-N118	temperature meter, 0 REL (OC)	149 €
	temperature meter, 1 REL (OC) + 1 analog output	175 €
	temperature meter, 2 REL (OC)	153 €
STN-94	temperature meter, 1 REL	153 €
SRT-L70	temperature meter, DIN rail mounting, 3 REL	153 €
	<b>Options:</b>	
	110V AC power supply for SWE-73-T	17 €
	011: sealing frame IP 65 for SRT-73/77/94/147 and STN-94	17 €
	011: sealing frame IP 65 for SWE-73-T	13 €
	031: green colour LED display for SRT-94/147	11 €

	081: -20°C ... +50°C expanded operating temp. range	21 €
<b>Accessories:</b>		
SIR-15	remote controller for SWE-73-T, SRT-457, SRT-N118	21 €
SMP-147/73	adaptor to mount 72 x 36 mm size meter in place of 144 x 72 mm	21 €
SMP-147/94	adaptor to mount 96 x 48 mm size meter in place of 144 x 72 mm	21 €
SMP-99/94	adaptor to mount 96 x 48 mm size meter in place of 96 x 96 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €
<b>1.5. Inputs: thermocouple</b>		
SRT-73-1A	temperature meter, 0 REL (OC)	105 €
	temperature meter, 1 REL (OC)	107 €
	temperature meter, 2 REL (OC)	109 €
SRT-77-1A	temperature meter, 0 REL (OC)	120 €
	temperature meter, 1 REL (OC)	127 €
	temperature meter, 2 REL (OC)	131 €
SRT-94-1A	temperature meter, 0 REL (OC)	131 €
	temperature meter, 2 REL (OC)	138 €
	temperature meter, 2 REL (OC) + 1 analog output	149 €
	temperature meter, 4 REL (OC)	149 €
SRT-147-1A	temperature meter, 0 REL (OC)	219 €
	temperature meter, 2 REL (OC)	230 €
	temperature meter, 2 REL (OC) + 1 analog output	241 €
	temperature meter, 4 REL (OC)	241 €
SRT-457-1A	temperature meter, 1 REL (OC), IP 65	395 €
	temperature meter, 1 REL (OC), IP 67	384 €
SRT-N118-1A	temperature meter, 0 REL (OC)	149 €
	temperature meter, 1 REL (OC) + 1 analog output	175 €
	temperature meter, 2 REL (OC)	153 €
STN-94-1A	temperature meter, 1 REL	153 €
	<b>Options:</b>	
	011: sealing frame IP 65 for SRT-73/77/94/147 and STN-94	17 €
	031: green colour LED display for SRT-94/147	11 €
	081: -20°C ... +50°C expanded operating temp. range	21 €
<b>Accessories:</b>		
SIR-15	remote controller for SRT-457-1A, SRT-N118-1A	21 €
SMP-147/73	adaptor to mount 72 x 36 mm size meter in place of 144 x 72 mm	21 €
SMP-147/94	adaptor to mount 96 x 48 mm size meter in place of 144 x 72 mm	21 €
SMP-99/94	adaptor to mount 96 x 48 mm size meter in place of 96 x 96 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €
<b>1.6. Other inputs</b>		
SWE-73-S	low-cost meter, RS-485, MASTER/SLAVE	65 €
SWS-73	indicator, board case, RS-485, MASTER/SLAVE	98 €
SWS-94	indicator, board case, RS-485, MASTER/SLAVE	120 €
SW-BCD-94	universal indicator, board case, RS-485 SLAVE	142 €
SWS-457	wall mounted indicator, digits 4 x 57 mm, IP 65	395 €
	wall mounted indicator, digits 4 x 57 mm, IP 67	373 €
SWS-W510	large-size, wall mounted indicator, digits 5 x 100 mm	483 €
SWS-W606	large-size, wall mounted indicator, digits 6 x 57 mm	328 €
SWS-N118	wall mounted indicator, digits 4 x 20 mm or 6 x 13 mm, IP 65	131 €

SZP-73	current test set	131 €
	<b>Options:</b>	
	110V AC power supply for SWE-73-S	17 €
	011: sealing frame IP 65 for SWS-73/94, SW-BCD-94 and SZP-73	17 €
	011: sealing frame IP 65 for SWE-73-S	13 €
	081: -20°C ... +50°C expanded operating temp. range	21 €

#### Accessories:

SIR-15	remote controller for SWE-73-S and wall mounted indicators	21 €
SMP-147/73	adaptor to mount 72 x 36 mm size meter in place of 144 x 72 mm	21 €
SMP-147/94	adaptor to mount 96 x 48 mm size meter in place of 144 x 72 mm	21 €
SMP-99/94	adaptor to mount 96 x 48 mm size meter in place of 96 x 96 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €

## 2. DATA RECORDERS

### 2.1. Stationary Data Recorders

MultiCon CMC-99 and CMC-141 including Licence Key for data logging activation see page 1

SRD-99-1	1 channel recorder, 2 ER alarm outputs + Loggy Soft CD	351 €
	1 channel recorder, 2 ER alarm outputs, USB Host port + Loggy Soft CD	428 €
SRD-99-4	4 channels recorder, 2 ER alarm outputs + Loggy Soft CD	461 €
	4 channels recorder, 2 ER alarm outputs, USB Host port + Loggy Soft CD	549 €
SRD-99-8	8 channels recorder, 2 ER alarm outputs + Loggy Soft CD	516 €
	8 channels recorder, 2 ER alarm outputs, USB Host port + Loggy Soft CD	576 €
	<b>Options:</b>	
	011: sealing frame IP 65	17 €
SRD-N16W-1	1 channel recorder, 2 REL alarm outputs, USB Host port + Loggy Soft CD, white display	527 €
SRD-N16W-4	4 channels recorder, 2 REL alarm outputs, USB Host port + Loggy Soft CD, white display	648 €
SRD-N16W-8	8 channels recorder, 2 REL alarm outputs, USB Host port + Loggy Soft CD, white display	703 €
SRD-N16A-1	1 channel recorder, 2 REL alarm outputs, USB Host port + Loggy Soft CD, amber display	527 €
SRD-N16A-4	4 channels recorder, 2 REL alarm outputs, USB Host port + Loggy Soft CD, amber display	648 €
SRD-N16A-8	8 channels recorder, 2 REL alarm outputs, USB Host port + Loggy Soft CD, amber display	703 €
	<b>Options:</b>	
	0K1: -20°C ... +50°C expanded operating temp. range	49 €

#### Accessories:

SCL-N16	SRD-N16 case lock	32 €
STD-99	transparent IP 54 door with lock for SRD-99	43 €
SMP-1414/99	adaptor to mount 96 x 96 mm size meter in place of 144 x 144 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €
MS-2	Mini pendrive memory stick 2 GB	n/a
MS-4	Mini pendrive memory stick 4 GB	21 €
MS-8	Mini pendrive memory stick 8 GB	32 €
P130	portable case, including power supply connector only, excluding SRD-99	704 €
P130 connectors	up to 11 input, output and communication connectors each	44 €

### 2.2. Temperature and Humidity Recording Systems

TRS-01a	ambient temperature transducer, incl. calibration certificate	105 €
TRS-02a	temperature transducer for Pt 100 sensor	105 €
TRS-04a	temperature and humidity transducer, incl. calibration certificate	149 €
TRS-09a	supporting power supply for the TRS System	87 €
TRS-10a	wall mounted indicator	76 €
TRS-11a	ambient temperature transducer with a display	149 €
TRS-B1a	sound signal device	87 €
SRS-2/4-Z16-B1a	recorder with converter for the TRS System	164 €
SRS-U/2	USB/RS-232 interface converter	32 €
TRS-12/1,25	power supply 1,25A/12V for SRS-2/4-Z16-B1a converter and TRS sensors	38 €
	<b>Options:</b>	
	081: -20°C ... +50°C expanded operating temp. range for TRS-09a and SRS-2/4-Z16-B1a	19 €

### 3. COUNTERS

#### 3.1. Pulse counters

SLE-73	pulse counter, 1 pulse input	98 €
SLB-94	universal totalizer, 4 REL (OC)	164 €
SLN-94	pulse counter, 2 REL (OC)	142 €
SLIK-73	universal counter with batching function, 0 REL (OC)	109 €
	universal counter with batching function, 1 REL (OC)	120 €
SLIK-94	universal counter with batching function, 0 REL (OC)	131 €
	universal counter with batching function, 2 REL (OC)	142 €
	universal counter with batching function, 4 REL (OC)	164 €
SLIK-N118	universal counter with batching function, 0 REL (OC)	142 €
	universal counter with batching function, 2 REL (OC)	153 €
SLK-94T	fast quadrature counter, 4 REL (OC)	197 €
SLE-42-1400-0-0-001	48 x 24 mm, dry contact/OC/NPN, battery powered counter	32 €
SLE-42-1E00-0-0-001	48 x 24 mm, wide range voltage, battery powered counter	32 €
SLN-44-1511-0-3-001	48 x 48 mm, 1 relay, DC power supply counter	131 €
SLN-44-1521-0-4-001	48 x 48 mm, 2 relays, AC power supply counter	153 €
	<b>Options:</b>	
	011: sealing frame IP 65 for 73 and 94 cases	17 €
	081: -20°C ... +50°C expanded operating temp. range	21 €

#### Accessories:

SIR-15	remote controller for SLIK-N118	21 €
SMP-147/73	adaptor to mount 72 x 36 mm size meter in place of 144 x 72 mm	21 €
SMP-147/94	adaptor to mount 96 x 48 mm size meter in place of 144 x 72 mm	21 €
SMP-99/94	adaptor to mount 96 x 48 mm size meter in place of 96 x 96 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €

#### 3.2. Flow meters

SPI-73	flow meter, 1 REL (OC)	131 €
SPI-94	flow meter, 0 REL (OC)	158 €
	flow meter, 2 REL (OC)	164 €
	flow meter, 2 REL (OC) + 1 analog output	175 €
	flow meter, 4 REL (OC)	175 €
SPI-N118	flow meter, 0 REL (OC)	169 €
	flow meter, 1 REL (OC) + 1 analog output	197 €
	flow meter, 2 REL (OC)	175 €
SPP-94	flow meter, 0 REL (OC)	158 €

	flow meter, 2 REL (OC)	164 €
	flow meter, 2 REL (OC) + 1 analog output	175 €
	flow meter, 4 REL (OC)	175 €
SPP-N118	flow meter, 0 REL (OC)	169 €
	flow meter, 1 REL (OC) + 1 analog output	197 €
	flow meter, 2 REL (OC)	175 €
	<b>Options:</b>	
	011: sealing frame IP 65 for 73 and 94 cases	17 €
	081: -20°C ... +50°C expanded operating temp. range	21 €

#### Accessories:

SIR-15	remote controller for SPI/SPP-N118	21 €
SMP-147/73	adaptor to mount 72 x 36 mm size meter in place of 144 x 72 mm	21 €
SMP-147/94	adaptor to mount 96 x 48 mm size meter in place of 144 x 72 mm	21 €
SMP-99/94	adaptor to mount 96 x 48 mm size meter in place of 96 x 96 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €

### 3.3. Ratemeters

STI-73	ratemeter, 1 REL (OC)	131 €
STI-94	ratemeter, 0 REL (OC)	147 €
	ratemeter, 2 REL (OC)	153 €
	ratemeter, 2 REL (OC) + 1 analog output	164 €
	ratemeter, 4 REL (OC)	164 €
STI-N118	ratemeter, 0 REL (OC)	158 €
	ratemeter, 1 REL (OC) + 1 analog output	186 €
	ratemeter, 2 REL (OC)	164 €
	<b>Options:</b>	
	011: sealing frame IP 65 for 73 and 94 cases	17 €
	081: -20°C ... +50°C expanded operating temp. range	21 €

#### Accessories:

SIR-15	remote controller for STI-N118	21 €
SMP-147/73	adaptor to mount 72 x 36 mm size meter in place of 144 x 72 mm	21 €
SMP-147/94	adaptor to mount 96 x 48 mm size meter in place of 144 x 72 mm	21 €
SMP-99/94	adaptor to mount 96 x 48 mm size meter in place of 96 x 96 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €

### 3.4. Timers

SLC-94	timer	131 €
SLC-457	wall mounted timer, digits 4 x 57 mm, IP 65	395 €
	wall mounted timer, digits 4 x 57 mm, IP 67	384 €
SWZ-W610-0000	large-size digital clock, RS-485	439 €
SWZ-W610-1F00	large-size digital clock + SCT-650, RS-485	516 €
SWZ-W610-1J00	large-size digital clock + SCT-653, RS-485	527 €
SWZ-W610-2H00	large-size digital clock + SCT-750, RS-485	604 €
SWZ-W610-2K00	large-size digital clock + SCT-753, RS-485	615 €
STH-42-1400-0-0-001	48 x 24 mm, dry contact/OC/NPN, battery powered hourmeter	32 €
STH-42-1E00-0-0-001	48 x 24 mm, wide range voltage, battery powered hourmeter	32 €
	<b>Options:</b>	
	011: sealing frame IP 65 for SLC-94	17 €

#### Accessories:

SMP-147/94	adaptor to mount 96 x 48 mm size meter in place of 144 x 72 mm	21 €
------------	--	------



SMP-99/94	adaptor to mount 96 x 48 mm size meter in place of 96 x 96 mm	21 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €

#### 4. WEIGHT INDICATORS

SWI-94	economic general-purpose weight indicator, 2 relay or OC outputs, RS-485, analogue output	274 €
	<b>Options:</b>	
	OP1: IP65 and -20°C ... +50°C expanded operating temp. range	55 €

#### Accessories:

SP-4	junction box for max. 4 load cells	142 €
SP-6	junction box for max. 6 load cells	164 €
SRH-94	TS-35 DIN rail brackets	32 €
SPH-45	1÷45 mm board thickness brackets (2 pcs)	10 €

#### 5. CONVERTERS / MODEMS

SRS-U/4-Z45	USB / RS-485 interface converter	76 €
SRS-2/4-Z45	RS-232 / RS-485 interface converter	87 €
NPort 5150	Serial/Internet converter RS-232 / RS-485 to LAN/Internet Network	219 €
FS20	Fastrack XTEND TCP/IP including cable, power supply, antenna	351 €

#### 6. SENSORS AND TRANSMITTERS

SGS-61	galvanic separator, mounting on DIN rail	59 €
SPT-61	temperature RTD transmitter, mounting on DIN rail	59 €
SPT-86L	DIN rail mounting temperature transmitter, RS-485, no current output	76 €
	DIN rail mounting temperature transmitter, RS-485, passive current output	87 €
SPT-85G	temperature universal transmitter, mounting in-head "B"	59 €
SPT-TRC Soft	soft for programming SPT-85 transmitters	11 €
SCK-11-001	dual axis inclinometer with internal accelerometer	219 €
DRS-303-001	liquid sensor, 3m wire length	54 €
	<b>Options:</b>	
	081: -20°C ... +50°C expanded operating temp. range for SGS-61 and SPT-61	21 €

#### Accessories:

SC-SPT	SPT programming service 3 €	3 €
SPT-RS232/85G	RS-232 cable for programming transmitters type SPT-85G 49 €	54 €
SPT-USB/85G	USB cable for programming transmitters type SPT-85G 49	54 €

#### 7. POWER SUPPLIES

SPX-24/1	Ultra-narrow DIN rail power supply, voltage 24 VDC, rated current 1 A	34 €
SPS-12/2	DIN rail power supply, voltage 12 VDC, rated current 2 A	35 €
SPS-12/4,5	DIN rail power supply, voltage 12 VDC, rated current 4,5 A	48 €
SPS-12/6,3	DIN rail power supply, voltage 12 VDC, rated current 6,3 A	59 €
SPS-12/10	DIN rail power supply, voltage 12 VDC, rated current 10 A	73 €
SPS-24/1,5	DIN rail power supply, voltage 24 VDC, rated current 1,5 A	34 €
SPS-24/2,5	DIN rail power supply, voltage 24 VDC, rated current 2,5 A	46 €
SPS-24/3,2	DIN rail power supply, voltage 24 VDC, rated current 3,2 A	55 €
SPS-24/5	DIN rail power supply, voltage 24 VDC, rated current 5 A	69 €
SPS-24/10	DIN rail power supply, voltage 24 VDC, rated current 10 A	118 €
SPS-24/20	DIN rail power supply, voltage 24 VDC, rated current 20 A	195 €

#### 8. RS-485 TRANSMITTERS

SIN-8	8 binary input module	87 €
SOC-8	8 binary output module	87 €
SIAi-8	8 analogue inputs module	120 €
SLI-8	multi counters module, 8 voltage inputs	98 €

	<b>Options:</b>	
	081: -20°C ... +50°C expanded operating temp. range	21 €
<b>9. PC SOFTWARES</b>		
<b>9.1. SimCorder Soft</b>		
	SB SimCorder Soft Basic USB License Dongle	179 €
	SBS SimCorder Soft Basic & semiSCADA USB License Dongle	278 €
	SA SimCorder Soft Alarm (software with SMS and e-mail alarm functions) USB License Dongle	249 €
	SAS SimCorder Soft Alarm (soft. with SMS & e-mail alarm functions) & semiSCADA USB License Dongle	348 €
	SN3 SimCorder Soft Network (licence for 3 PC stations) USB License Dongle	299 €
	SNS3 SimCorder Soft Network (licence for 3 PC stations) & semiSCADA USB License Dongle	398 €
	SN10 SimCorder Soft Network (licence for 10 PC stations) USB License Dongle	399 €
	SNS10 SimCorder Soft Network (licence for 10 PC stations) & semiSCADA USB License Dongle	498 €
<b>9.2. Other</b>		
S-Config 2 - software enabling detection and configuration of Simex instruments via Modbus RTU networks free		
<b>Accessories:</b>		
SIMC-CD	SimCorder Soft CD Box v.3	17 €
US-USB	USB Dongle upgrade service	17 €
<b>10. OTHERS</b>		
	EUR1 - EUR1 form nda	50 €

All products are CE marked.

Warranty period 24 months.

